



Product Code	Description	Valve Type	Spout flow	Cold Water						Hot Water						Mixed Hot and Cold Water					
				FLOW RATE (at 0.1 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.3 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.5 bar pressure, with aerator) Ltr/min	FLOW RATE (at 1 bar pressure, with aerator) Ltr/min	FLOW RATE (at 3 bar pressure, with aerator) Ltr/min	FLOW RATE (at 5 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.1 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.3 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.5 bar pressure, with aerator) Ltr/min	FLOW RATE (at 1 bar pressure, with aerator) Ltr/min	FLOW RATE (at 3 bar pressure, with aerator) Ltr/min	FLOW RATE (at 5 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.1 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.3 bar pressure, with aerator) Ltr/min	FLOW RATE (at 0.5 bar pressure, with aerator) Ltr/min	FLOW RATE (at 1 bar pressure, with aerator) Ltr/min	FLOW RATE (at 3 bar pressure, with aerator) Ltr/min	FLOW RATE (at 5 bar pressure, with aerator) Ltr/min
ANT4/BN	Antique - brushed nickel	Quarter turn	Single	0.82	2.82	4.04	6.01	10.84	14.11	1.04	2.8	3.85	5.69	10.23	13.32	1.26	3.55	4.88	7.23	13.08	17.07
ANT4/CH	Antique - chrome	Quarter turn	Single	0.82	2.82	4.04	6.01	10.84	14.11	1.04	2.8	3.85	5.69	10.23	13.32	1.26	3.55	4.88	7.23	13.08	17.07
ARDPUR/CH	Ardor Puriti - Chrome	Quarter turn	Single	0.99	3.08	4.31	6.28	11.2	14.52	0.95	3.25	4.5	6.57	11.69	15.22	1.21	3.86	5.26	7.75	13.81	17.97
ASP2/CH	Aspen - chrome	Single lever	Single	1	3.26	4.51	6.63	11.77	15.3	1.2	3.7	5.06	7.48	13.28	17.23	1.07	3.18	4.4	6.43	11.4	14.87
ASP2/SS	Aspen S/S	Single lever	Single	2.1	4.18	5.31	7.51	13.27	17.4	2.02	4.15	5.31	7.32	12.5	16.6	1.9	4.54	5.6	7.7	13.3	17.7
ASP2/AN	Aspen - Anthracite	Single lever	Single	2.1	4.18	5.31	7.51	13.27	17.4	2.02	4.15	5.31	7.32	12.5	16.6	1.9	4.54	5.6	7.7	13.3	17.7
ASP2/PG	Aspen - Pebble Grey	Single lever	Single	2.1	4.18	5.31	7.51	13.27	17.4	2.02	4.15	5.31	7.32	12.5	16.6	1.9	4.54	5.6	7.7	13.3	17.7
ASPO2/CH	Aspen Quad - chrome	Single lever	Single	0.82	3.17	4.25	6.03	11	14.35	1.31	3.61	4.52	6.76	12.2	15.95	1.01	3.08	4.12	5.89	10.55	13.74
ASPO2/SS	Aspen quad S/S	Single lever	Single	2.1	4.18	5.31	7.51	13.27	17.4	2.02	4.15	5.31	7.32	12.5	16.6	2.1	4.77	5.8	7.4	13.44	17.76
ASPS2/CH	Aspen Pull out - chrome	Single lever	Single	0.3	1.97	2.96	4.69	9.81	12.88	0.44	2.29	3.04	4.61	9.21	12.48	0.72	2.44	3.49	5.22	10.73	14.55
ASPS3/SS	Aspen Pull out - Stainless steel	Single lever	Single	1.5	3.52	4.4	6.72	11.78	15.44	1.5	3.5	4.1	6.7	11.66	15.1	1.56	3	4.4	6.72	11.7	15.44
ATL5S	Atlanta S/S	Single lever	Single	2.3	4.79	6.06	8.59	15.04	19.46	2.32	5.1	6.06	8.59	15.04	19.46	2.36	4.1	6.05	8.59	15.04	19.45
ATL2/CH	Atlanta - chrome	Single lever	Single	1	2.36	3.32	4.73	8.52	10.82	1	2.54	3.4	4.89	8.58	11.15	1	2.61	3.44	4.9	8.77	11.35
ATLP/SS	Atlanta pull out S/S	Single lever	Single	0.77	2.18	2.92	4.33	7.93	10.44	0.77	2.18	2.9	4.33	8	9.56	0.77	2.18	2.67	4.33	7.98	10.44
ATMPUR/CH	Atmore Purity - chrome	Quarter turn	Single	1.14	2.9	3.92	5.57	9.98	13	1.74	3.08	4.03	5.72	10.13	13.16	1.76	3.39	4.5	6.38	11.29	14.76
AVE2/SS	Avel S/S	Quarter turn	Dual	1.2	3.26	4.24	6.13	10.77	13.92	1.2	3.2	4.1	6.9	10.1	12.92	1.25	3.36	4.24	6.23	10.77	13.92
AVE2/BK	Avel - Black	Quarter turn	Dual	1.2	3.26	4.24	6.13	10.77	13.92	1.2	3.2	4.1	6.9	10.1	12.92	1.25	3.36	4.24	6.23	10.77	13.92
AVE2/CO	Avel - Copper	Quarter turn	Dual	1.2	3.26	4.24	6.13	10.77	13.92	1.2	3.2	4.1	6.9	10.1	12.92	1.25	3.36	4.24	6.23	10.77	13.92
AVE2/GM	Avel - Gun metal	Quarter turn	Dual	1.2	3.26	4.24	6.13	10.77	13.92	1.2	3.2	4.1	6.9	10.1	12.92	1.25	3.36	4.24	6.23	10.77	13.92
AVE2/BS	Avel - Black Steel	Quarter turn	Dual	1.2	3.26	4.24	6.13	10.77	13.92	1.2	3.2	4.1	6.9	10.1	12.92	1.25	3.36	4.24	6.23	10.77	13.92
AVE2/GD	Avel - Gold	Quarter turn	Dual	1.2	3.26	4.24	6.13	10.77	13.92	1.2	3.2	4.1	6.9	10.1	12.92	1.25	3.36	4.24	6.23	10.77	13.92
AVE4/BN	Avel WRAS approved - brushed nickel	Quarter turn	Single	1.58	3.24	4.1	7.14	11.38	14.78	1.57	3.92	5.28	7.05	11.45	14.67	1.62	4.06	6.27	8.3	13.8	17.92
AVE4/CH	Avel WRAS approved - Chrome	Quarter turn	Single	1.58	3.24	4.1	7.14	11.38	14.78	1.57	3.92	5.28	7.05	11.45	14.67	1.62	4.06	6.27	8.3	13.8	17.92
AVE4/BC	Avel - Blackened copper	Quarter turn	Single	1.58	3.24	4.1	7.14	11.38	14.78	1.57	3.92	5.28	7.05	11.45	14.67	1.62	4.06	6.27	8.3	13.8	17.92
BAN/AB	Banwell Pot Filler - Antique Brass	Quarter turn	Single	2.31	3.51	4.54	6.28	10.84	12.89	/	/	/	/	/	/	/	/	/	/	/	/
BAN/SS	Banwell Pot Filler - S/S	Quarter turn	Single	2.31	3.51	4.54	6.28	10.84	12.89	/	/	/	/	/	/	/	/	/	/	/	/
B/BRN/CH	Buckingham - Chrome	Compression	Dual	5.8	8.8	9.9	12.8	20.1	26	5.3	7.3	8.2	10.5	16.4	21.2	8.6	11.4	13	16.9	26.6	34.4
BRO/CH	Brookline - chrome	Single lever	Single	1.55	3.56	4.2	6.92	12.14	15.75	2.07	3.67	4.85	6.98	12.2	15.86	1.72	3.45	4.54	6.53	11.57	15.01
BROS/PI/CH	Brookline spray - chrome	Single lever	Single	/	2.15	3.05	4.32	8.25	11.22	/	2.07	2.9	4.39	8.38	11.5	/	2.6	3.44	4.99	9.47	13.27
COG/BC	Cognitus - Blackened Copper	Single Lever	Single	2	4.18	5.31	7.51	13.27	17.4	1.9	4	5.25	7.7	13.5	17	2.1	4.3	5.4	7.5	13.1	16.9
COL/CH	Colton - Chrome	Quarter turn	Single	1.67	3.55	4.7	6.76	11.9	15.45	1.55	3.38	4.56	6.47	11.44	14.81	2.01	4.27	5.7	8.2	14.5	18.77
COR/SS	Cory S/S	Progressive	Single	2.2	5.49	7	9.88	17.36	22.38	2.2	5.49	7	9.88	17.36	22.38	2.21	5.49	7.5	9.88	16.36	20.38
CRU/CH	Cruciform Tap - chrome	Quarter turn	Dual	1.65	/	/	8.85	15.6	/	1.75	/	/	10	19.3	/	3.15	/	/	18.7	35	/
CRU4/CH	Cruciform Tap - chrome	Quarter turn	Single	2.09	4.14	5.53	7.82	13.3	17.38	2	3.64	4.7	6.72	11.74	15.26	2.65	5.11	6.6	9.08	15.96	20.77
DALPUR2/SS	Dalton puriti tap	Single lever	Single	1.2	3.64	4.61	6.51	11.23	14.54	1.4	2.9	4	6.7	10.2	12.44	1.22	3.64	4.61	6.52	11.23	14.54
DALQPUR2/SS	Dalton quad puriti tap	Single lever	Single	1.2	3.64	4.61	6.51	11.23	14.54	1.4	2.9	4	6.7	10.2	12.44	1.22	3.64	4.61	6.52	11.23	14.54
DAN/CH	Danvers - chrome	Single lever	Single	1.03	3.2	4.39	6.46	11.58	15.12	0.96	2.78	3.99	5.83	10.55	13.77	1.06	3.34	4.3	6.83	12.42	16.17
DEL/CH	Delta - chrome	Single lever	Single	0.82	2.05	2.45	3.26	5.92	7.22	0.98	2.1	2.54	3.36	5.76	7.12	0.96	1.9	2.47	3.24	5.45	7.12
DUM/CH	Dumas - chrome	Single lever	Single	1.44	3.08	4.02	5.56	9.8	12.7	1.35	2.97	3.82	5.64	10.01	13.08	1.74	3.52	4.42	6.09	10.73	14.01
EMB/BR/SS	Stainless Steel Modern Bridge Tap	Progressive	Single	1.83	3.12	4.14	5.89	10.35	13.45	1.88	3.24	4.26	6.02	10.41	13.45	2.43	3.93	5.19	7.33	12.63	16.35
EMB/BR/BK	Black Modern Bridge with changeable accessories	Progressive	Single	1.83	3.12	4.14	5.89	10.35	13.45	1.88	3.24	4.26	6.02	10.41	13.45	2.43	3.93	5.19	7.33	12.63	16.35
FLT/BK	Flutier - Black	Progressive	Single	0.58	2.36	3.33	4.94	8.88	11.52	0.94	2.55	3.47	5.17	9.2	12.03	1.06	2.87	3.93	5.81	10.38	13.43
FLT/CH	Flutier - Chrome	Progressive	Single	0.58	2.36	3.33	4.94	8.88	11.52	0.94	2.55	3.47	5.17	9.2	12.03	1.06	2.87	3.93	5.81	10.38	13.43
FOS/4IN1/SS	Fosso - Stainless Steel	Single lever	Dual	1.32	2.6	3.8	5.5	9.61	12.54	1.28	2.33	3.33	5.06	9.33	12.42	1.71	2.9	4.02	5.76	10.09	13.15
FOS/4IN1/GM	Fosso - Gunmetal	Single lever	Dual	1.32	2.6	3.8	5.5	9.61	12.54	1.28	2.33	3.33	5.06	9.33	12.42	1.71	2.9	4.02	5.76	10.09	13.15
FOS/4IN1/CO	Fosso - Copper	Single lever	Dual	1.32	2.6	3.8	5.5	9.61	12.54	1.28	2.33	3.33	5.06	9.33	12.42	1.71	2.9	4.02	5.76	10.09	13.15
FOS/4IN1/GD	Fosso - Gold	Single lever	Dual	1.32	2.6	3.8	5.5	9.61	12.54	1.28	2.33	3.33	5.06	9.33	12.42	1.71	2.9	4.02	5.76	10.09	13.15
FOS/4IN1/BS	Fosso - Black Steel	Single lever	Dual	1.32	2.6	3.8	5.5	9.61	12.54	1.28	2.33	3.33	5.06	9.33	12.42	1.71	2.9	4.02	5.76	10.09	13.15
FRA/SS	Frampton - S/S	Single lever	Single	1.2	3.83	4.79	6.82	11.91	15.42	1.2	3.83	4.79	6.82	11.91	15.42	1.21	3.83	4.79	6.		

JOY/SS	Joya 3 tap hole - S/S	Quarter turn	Single	1.1	2.99	3.98	5.90	10.64	13.93	1.4	2.67	3.9	5.90	10.64	13.30	1.12	3.1	3.98	5.90	10.77	13.93
JOY/CO	Joya 3 tap hole - Copper	Quarter turn	Single	1.1	2.99	3.98	5.90	10.64	13.93	1.4	2.67	3.9	5.90	10.64	13.30	1.12	3.1	3.98	5.90	10.77	13.93
JOY/GD	Joya 3 tap hole - Gold	Quarter turn	Single	1.1	2.99	3.98	5.90	10.64	13.93	1.4	2.67	3.9	5.90	10.64	13.30	1.12	3.1	3.98	5.90	10.77	13.93
JOY/BS	Joya 3 tap hole - Black Steel	Quarter turn	Single	1.1	2.99	3.98	5.90	10.64	13.93	1.4	2.67	3.9	5.90	10.64	13.30	1.12	3.1	3.98	5.90	10.77	13.93
JOY/GM	Joya 3 tap hole - Gunmetal	Quarter turn	Single	1.1	2.99	3.98	5.90	10.64	13.93	1.4	2.67	3.9	5.90	10.64	13.30	1.12	3.1	3.98	5.90	10.77	13.93
JOY3IN/SS	Joya 3 tap hole 3in1 tap - Stainless steel	Progressive*	Single**	0.95	2.43	3.36	4.9	8.86	11.61	0.95	2.26	3.11	4.55	8.16	10.73	1.42	2.34	3.05	4.37	7.71	10.05
JOY3IN/CO	Joya 3 tap hole 3in1 tap - Copper	Progressive*	Single**	0.95	2.43	3.36	4.9	8.86	11.61	0.95	2.26	3.11	4.55	8.16	10.73	1.42	2.34	3.05	4.37	7.71	10.05
JOY3IN/GD	Joya 3 tap hole 3in1 tap - Gold	Progressive*	Single**	0.95	2.43	3.36	4.9	8.86	11.61	0.95	2.26	3.11	4.55	8.16	10.73	1.42	2.34	3.05	4.37	7.71	10.05
JOY3IN/GM	Joya 3 tap hole 3in1 tap - Gunmetal	Progressive*	Single**	0.95	2.43	3.36	4.9	8.86	11.61	0.95	2.26	3.11	4.55	8.16	10.73	1.42	2.34	3.05	4.37	7.71	10.05
JOY3IN/BS	Joya 3 tap hole 3in1 tap - Black Steel	Progressive*	Single**	0.95	2.43	3.36	4.9	8.86	11.61	0.95	2.26	3.11	4.55	8.16	10.73	1.42	2.34	3.05	4.37	7.71	10.05
K/BR/CH	Knightsbridge - Chrome	Quarter turn	Dual	4	7.9	8.6	10.9	17.7	22.6	3.8	6.5	7.4	9.4	15.3	19	5.7	10.9	11.9	15.3	24.7	31.6
KAR/SS	Karns S/S	Single lever	Single	1.2	3.13	4.01	5.71	9.94	12.82	1.05	3.2	4.1	5.71	9.2	12.6	1.21	3.15	4.6	5.89	9.94	12.82
KAR/BK	Karns - Black	Single lever	Single	1.2	3.13	4.01	5.71	9.94	12.82	1.05	3.2	4.1	5.71	9.2	12.6	1.21	3.15	4.6	5.89	9.94	12.82
KAR/CO	Karns - Copper	Single lever	Single	1.2	3.13	4.01	5.71	9.94	12.82	1.05	3.2	4.1	5.71	9.2	12.6	1.21	3.15	4.6	5.89	9.94	12.82
KAR/GM	Karns - Gun metal	Single lever	Single	1.2	3.13	4.01	5.71	9.94	12.82	1.05	3.2	4.1	5.71	9.2	12.6	1.21	3.15	4.6	5.89	9.94	12.82
KAR/GD	Karns - Gold	Single lever	Single	1.2	3.13	4.01	5.71	9.94	12.82	1.05	3.2	4.1	5.71	9.2	12.6	1.21	3.15	4.6	5.89	9.94	12.82
KAR/BS	Karns - Black Steel	Single lever	Single	1.2	3.13	4.01	5.71	9.94	12.82	1.05	3.2	4.1	5.71	9.2	12.6	1.21	3.15	4.6	5.89	9.94	12.82
KON2/SS	Kontro S/S	Quarter turn	Single	2.4	5.48	6.87	9.5	16.43	21.12	2.4	5.48	6.88	9.51	16.43	21.12	2.42	4.48	5.87	8.87	15.43	21.12
KON3/CH	Kontro - chrome	Quarter turn	Single	1.58	3.92	4.74	6.43	11.24	14.58	1.93	3.98	4.97	6.41	11.14	14.4	2.41	4.72	5.9	7.78	13.46	17.46
KOR/BR/SS	Stainless Steel Modern Bridge Tap	Progressive	Single	1.68	3.09	4.08	5.87	10.28	13.42	1.91	3.28	4.34	6.16	10.67	13.73	2.19	3.94	5.25	7.42	12.74	16.43
LAM3/SS	Lamar - stainless steel	Quarter turn	Single	2.4	5.48	6.87	9.5	16.43	21.12	2.2	5.3	6.81	9.5	16.43	19.12	2.4	5.48	6.67	9.51	16.43	21.12
LAM/CH	Lamar - Chrome WRAS approved	Quarter turn	Single	0.94	3.02	4.13	6.18	11.03	14.43	1.02	3.1	4.26	6.32	11.43	14.96	1.06	3.66	5.06	7.5	13.56	17.68
LAM/BC	Lamar - Blackened copper	Quarter turn	Single	0.94	3.02	4.13	6.18	11.03	14.43	1.02	3.1	4.26	6.32	11.43	14.96	1.06	3.66	5.06	7.5	13.56	17.68
LAM/BC	Lamar - Black Chrome	Quarter turn	Single	0.94	3.02	4.13	6.18	11.03	14.43	1.02	3.1	4.26	6.32	11.43	14.96	1.06	3.66	5.06	7.5	13.56	17.68
LAM/CH	Landis - chrome	Single lever	Single	1.14	2.97	3.87	5.77	10.34	13.51	0.58	2.77	4	5.91	10.66	13.94	1	3.33	4.45	6.52	11.81	15.54
LAN/SP/CH	Landis spray - chrome	Single lever	Single	0.66	2.88	3.25	4.94	9.77	13.33	0.38	2.15	3.23	4.93	9.66	13.68	0.76	2.48	3.32	5.32	10.69	14.47
LAYPUR2/SS	Layton Puriti tap	Single lever	Single	2.3	5.34	6.67	9.34	16.32	21.26	2.1	5.1	6.66	9.43	16.3	20.26	2.3	5.3	6.37	9.34	16.32	21.26
LEV3/BN	Leval - brushed chrome	Quarter turn	Single	1.98	3.39	5.1	7.18	12.5	16.1	1.78	3.38	4.45	6.45	11.12	14.33	2.33	4.38	5.73	8.15	14.21	18.43
LEV3/CH	Leval - chrome	Quarter turn	Single	1.98	3.39	5.1	7.18	12.5	16.1	1.78	3.38	4.45	6.45	11.12	14.33	2.33	4.38	5.73	8.15	14.21	18.43
NATPUR/CH	Natick Purty - chrome	Quarter turn	Single	1.23	3.16	4.25	6.1	11	14.37	1.33	3.77	5.03	7.37	13.22	17.31	0.75	3.09	4.13	6.07	11	14.43
NAV/BK	Navitas black	Single lever	Single	0.96	2.1	2.75	3.87	6.85	8.95	0.96	2.1	2.5	3.2	6.5	8.44	1	2.12	2.77	3.89	6.6	8.5
NAV/CH	Navitas coil - chrome	Single lever	Single	1.23	3.19	4.4	6.37	11.32	14.72	1.6	3.98	5.21	7.4	12.83	16.64	1.49	3.53	4.59	6.35	11.02	14.29
NAV/BC	Navitas coil - Black Chrome	Single lever	Single	1.23	3.19	4.4	6.37	11.32	14.72	1.6	3.98	5.21	7.4	12.83	16.64	1.49	3.53	4.59	6.35	11.02	14.29
NAV/SS	Navitas S/S	Single lever	Single	0.96	2.1	2.75	3.87	6.85	8.95	0.96	2.1	2.5	3.2	6.5	8.44	1	2.12	2.77	3.89	6.6	8.5
NEW/CH	Newark - chrome	Single lever	Single	1.67	3.73	4.89	6.8	12.2	15.7	/	/	/	/	/	/	/	/	/	/	/	/
NOL/GD	Nolito - Gold	Single lever	Single	2.41	3.36	5.21	7.42	13.28	17.39	2.22	3.43	4.64	6.67	11.8	15.4	2.68	4.25	5.63	7.94	13.94	18.14
NOL/SS	Nolito - S/S	Single lever	Single	2.41	3.36	5.21	7.42	13.28	17.39	2.22	3.43	4.64	6.67	11.8	15.4	2.68	4.25	5.63	7.94	13.94	18.14
NOV/SS	Novato coil S/S	Quarter turn	Single	0.96	2.1	2.75	3.87	6.85	8.95	0.96	2.1	2.5	3.2	6.5	8.44	1	2.12	2.77	3.89	6.6	8.5
PEN/SS	Pento Pot Filler - S/S	Quarter turn	Single	2.41	4.02	5.34	7.61	13.32	17.23	/	/	/	/	/	/	/	/	/	/	/	/
PEN/GD	Pento Pot Filler - Gold	Quarter turn	Single	2.41	4.02	5.34	7.61	13.32	17.23	/	/	/	/	/	/	/	/	/	/	/	/
POLBK	Polca - Stainless Steel	Single lever	Single	0.53	1.64	2.26	3.26	5.81	7.54	0.64	1.62	2.23	3.23	5.78	7.48	0.77	1.74	2.37	3.35	5.98	7.88
PRE/BK	Preto - Black	Single lever	Single	1.26	2.31	2.74	3.42	5.71	7.49	1.31	2.76	3.11	3.88	6.24	8.11	0.97	2.26	2.82	3.73	6.28	7.99
PUT/BR/SS	Putney bridge tap - S/S	Quarter turn	Single	2.5	5.9	7.95	11.95	20.34	26.33	2.42	5.9	7.95	11.4	20.34	26.33	2.51	5.94	7.95	12.95	19.34	25.33
PUT/BR/AB	Putney bridge tap - Antique brass	Quarter turn	Single	2.5	5.9	7.95	11.95	20.34	26.33	2.42	5.9	7.95	11.4	20.34	26.33	2.51	5.94	7.95	12.95	19.34	25.33
PUT/BR/BC	Putney bridge tap - Blackened copper	Quarter turn	Single	2.5	5.9	7.95	11.95	20.34	26.33	2.42	5.9	7.95	11.4	20.34	26.33	2.51	5.94	7.95	12.95	19.34	25.33
PUT/BR/PS	Putney bridge tap - Polished steel	Quarter turn	Single	2.5	5.9	7.95	11.95	20.34	26.33	2.42	5.9	7.95	11.4	20.34	26.33	2.51	5.94	7.95	12.95	19.34	25.33
RAW2/CH	Rawling tap - Chrome/black	Single lever	Single	/	1.45	1.97	3.09	5.64	7.3	/	1.4	2.05	3	5.44	7.09	/	1.47	2.1	3.7	5.73	7.43
RID/SS	Ridley S/S	Single lever	Single	2.4	4.79	6.14	8.64	15.23	19.8	2.41	4.79	6.11	8.7	15.23	19.8	2.4	4.69	6.24	8.74	15.23	19.8
RID/CO	Ridley - Copper	Single lever	Single	2.4	4.79	6.14	8.64	15.23	19.8	2.41	4.79	6.11	8.7	15.23	19.8	2.4	4.69	6.24	8.74	15.23	19.8
RID/GM	Ridley - Gun metal	Single lever	Single	2.4	4.79	6.14	8.64	15.23	19.8	2.41	4.79	6.11	8.7	15.23	19.8	2.4	4.69	6.24	8.74	15.23	19.8
RID/GD	Ridley - Gold	Single lever	Single	2.4	4.79	6.14	8.64	15.23	19.8	2.41	4.79	6.11	8.7	15.23	19.8	2.4	4.69	6.24	8.74	15.23	19.8
RID/BS	Ridley - Black Steel	Single lever	Single	2.4	4.79	6.14	8.64	15.23	19.8	2.41	4.79	6.11	8.7	15.23	19.8	2.4	4.69	6.24	8.74	15.23	19.8
RIDQ/SS	Ridley Quad S/S	Single lever	Single	1.35	3.78	5.19	7.63	13.53	17.51	1.16	3.79	5.23	7.56	13.46	17.47	1.84	4.22	5.96	8.63	15.27	19.8
RIDQ/GD	Ridley Quad - Gold	Single lever	Single	1.35	3.78	5.19	7.63	13.53	17.51	1.16	3.79	5.23	7.56	13.46	17.47	1.84	4.22	5.96	8.63	15.27	19.8
RIDQS/SS	Ridley Quad Pull-out S/S	Single lever	Single	1.09	2.74	3.79	5.62	10.31	13.45	1.21	2.76	3.83	5.65	10.35	13.47	1.29	3	4.26	6.33	11.45	14.92
RIDQS/GD	Ridley Quad Pull-out - GD	Single lever	Single	1.09	2.74	3.79	5.62	10.31	13.45	1.21	2.76	3.83	5.65	10.35	13.47	1.29	3	4.26	6.33	11.45	14.92
ROB3/SS	Robo - stainless steel	Quarter turn	Single	1.8	3.35	4.58	6.75	12.18	15.89	1.56	3.5	4.7	6.75	12.18	15.89	1.7	3.45	4.58	6.85	12.18	15.89
S/CRUS/PTR	Shaftsbury - pewter	Quarter turn	Single	0.68	3.24	4.32	6.53	11.37	15.49	0.76	3.02	4.46	6.12	11.07	14.36	1.47	4.18	5.66	8.27	14.56	18.84
S/CRUS/AB	Shaftsbury - Antique brass	Quarter turn	Single	0.68	3.24	4.32	6.53	11.37	15.49	0.76	3.02	4.46	6.12	11.07	14.36	1.47	4.18	5.66	8.27	14.56	18.84
S/CRUS/CH	Shaftsbury - chrome	Quarter turn	Single	0.68	3.24	4.32	6.53	11.37	15.49	0.76	3.02	4.46	6.12	11.07	14.36	1.47	4.18	5.66	8.27	14.56	18.84
SALPUR/CH	Salus Puriti - chrome	Single lever	Single	1.45	3.38	4.57	5.7	11	14.5	/	/	/	/	/	/	/	/	/	/	/	/
SL6/CH	Single Lever WRAS approved - chrome	Single lever	Single	1.81	3.97	4.99	7.21	12.15	15.96	1.67	3.65	4.72	6.67	11.98	15.27	1.78	3.88	4.93	6.93	11.97	15.64
SL7/CH	Single Lever WRAS approved - chrome	Single lever	Single	1.6	2.67	3.68	5.35	9.47	12.36	1.6	2.										

WAS4/BN	Washington WRAS approved - brushed nickel	Quarter turn	Single	1.8	4.62	5.48	6.97	11.29	14.79	2.1	4.54	5.11	7.22	11.88	15.46	2.8	5.2	6.39	8.54	14.14	18.37
WAS4/CH	Washington WRAS approved - chrome	Quarter turn	Single	1.8	4.62	5.48	6.97	11.29	14.79	2.1	4.54	5.11	7.22	11.88	15.46	2.8	5.2	6.39	8.54	14.14	18.37
ZUBQ4/CH	Zuben Quad WRAS approved - chrome (CSH)	Quarter turn	Single	0.2	1.29	1.81	2.61	2.87	2.93	0.38	1.32	1.82	2.6	2.86	2.9	0.88	1.3	1.83	2.64	3.31	4.42
VAP3IN/SS	Vapos 3in1 tap - stainless steel	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAPQ3IN1/SS	Vapos quad 3in1 tap - stainless steel	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAP2/3IN1/SS	Vapos 3in1 tap - stainless steel	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAP2/3IN1/CO	Vapos 3in1 tap - Copper	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAP2/3IN1/GM	Vapos 3in1 tap - Gunmetal	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAP2/3IN1/GD	Vapos 3in1 tap - Gold	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAP2/3IN1/BS	Vapos 3in1 tap - Black Steel	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39
VAPQ2/3IN1/SS	Vapos quad 3in1 tap - stainless steel	Single lever*	Single**	1.2	2.55	3.94	5.8	10.41	13.59	1.25	2.6	3.94	5.8	10.23	13.77	1.4	2.55	4.94	6.8	10.41	13.39

* Single lever hot and cold valve with separate quarter turn valve for boiling or filtered water

** Single flow hot and cold water, with separate flow for boiling or filtered water

0.1mpa = 1 bar

Tested on cold water flow rate